



HAND-PUMPS FOR PRESSURE GENERATION

SUITABLE FOR USE WITH DIGITAL KELLER-MANOMETERS*

K/P HTP1

- Simple, portable pressure generation
- Pressure generation: from vacuum (negative pressure) up to 700 bar
- Connection for reference pressure meter
(pump is supplied without reference pressure meter)

Hand-pump K/P **Pressure generation: -0,85...25 bar** **Medium: Air**

Negative pressures/vacuums and pressures of up to 25 bar (max. 40 bar) can be generated with this pneumatic hand-pump. Thanks to the fine adjustment valve (which is integrated in the pump) and the relief valve, a calibration pressure can be set accurately and quickly. This hand-pump is therefore highly suitable for testing manometers and pressure transmitters. The pump is supplied without the carrying case, which is available as an option.

Weight: ≈ 1,1 kg Dimensions: 240 mm x 170 mm x 50 mm



Hand-pump K/P (pneumatic)

Hand-pump HTP1 **Pressure generation: 0...700 bar** **Medium: Oil or Water**

Pressures of up to 700 bar can be generated with this hydraulic hand-pump. Hydraulic oil or distilled water can be used as pressure medium (the pump is supplied without fluid). The reservoir has a capacity of approx. 1 dl (100 ccm), thus allowing the pump to be used with larger dead volumes. The hand-pump with its integrated fine adjustment and relief valve is highly suitable for testing manometers and pressure transmitters. The pump is supplied complete with accessories (hose, adaptor, etc.) in a stable carrying case.

Weight: ≈ 1,7 kg Dimensions: 255 mm x 176 mm x 70 mm



Hand-pump HTP1 (hydraulic)

Reference devices

The reference device for accurate measurement of the actual pressure is screwed directly onto the hand-pump and is available as an option. The matching reference devices for the pumps are listed below. Please note the pressure range required for the pump:

K/P hand-pump = -1...30 bar HTP1 hand-pump = 0...700 bar

Carrying Case

Solid carrying case with interior foam cutout to fit one pump with manometer attached. Additional compartments for tools, adaptors etc. are provided.

For pump K/P: Weight: ≈ 900 g Dimensions: 400 mm x 365 mm x 110 mm (optional)

For pump HTP1: Weight: ≈ 1,1 kg Dimensions: 370 mm x 330 mm x 130 mm (inclusive)

* Matching reference devices for use with the K/P or HTP1 hand-pump (available as options):

| Reference device | LEX 1 | LEO 1 | LEO 2 | dV-2 |
|------------------|-------------|---------|----------|---------------|
| | | | | |
| Accuracy | 0,05 %FS | 0,2 %FS | 0,1 %FS | 0,1...0,5 %FS |
| Resolution | 1...30 bar | 1 mbar | 10 mbar | 10 mbar |
| LCD | 0...700 bar | 50 mbar | 200 mbar | 200 mbar |

Carrying Case for handpump HTP1 (inclusive)



Carrying Case for handpump K/P (optional)

